

Paul R. LePage, Governor

Mary C. Mayhew, Commissioner

Department of Health and Human Services
Maine Center for Disease Control and Prevention
Health and Environmental Testing Laboratory
221 State Street
12 State House Station
Augusta, Maine 04333-0012
Tel. (207) 287-2727; Fax (207) 287-6832; TTY (800) 606-0215

August 19, 2011

David Kunts, Ph.D.
Clinical Reference Laboratory
8433 Quivira Road
Lenexa, Kansas 66215

Dear Dr. Kuntz:


I am pleased to report to you that, Clinical Reference Laboratory, has been relicensed by the Maine Department of Human Services as a **Substance Abuse Testing Laboratory** effective 08/20/11. This license qualifies Clinical Reference Laboratory to perform workplace substance of abuse testing under the provisions of Title 26, MRSA, sub-chapter III-A.

This license is subject to renewal annually, and is subject to satisfactory performance in proficiency testing as defined in regulations under the above mentioned law. Certified copies of the proficiency test reports must be filed with this office within ten days of receipt. This department must also be notified of any changes in personnel, particularly the Director and Certifying Officer(s).

Under such time as a license form is printed and issued to you, this letter will serve to demonstrate your status under Maine law.

Please feel free to contact this office should you have any questions.

Sincerely,


Kenneth G. Pote, Ph.D.
Chief, Lab Operations
Health & Environmental Testing Laboratory

License # SA128

Cc Christopher P. Montagna
Labor Standards