## CENTERS FOR MEDICARE & MEDICAID SERVICES CLINICAL LABORATORY IMPROVEMENT AMENDMENTS CERTIFICATE OF ACCREDITATION

LABORATORY NAME AND ADDRESS
CLINICAL REFERENCE LABORATORY - TOXICO
8433 QUIVIRA ROAD
LENEXA, KS 66215

CLIA ID NUMBER 17D2005163

EFFECTIVE DATE

04/25/2024

**EXPIRATION DATE** 

04/24/2026

LABORATORY DIRECTOR

DAVID J KUNTZ Ph.D.

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.

This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.



Monique Spruill, Director

Division of Clinical Laboratory Improvement & Quality

Quality & Safety Oversight Group Center for Clinical Standards and Quality

200 Certs2 032624

If you currently hold a Certificate of Compliance or Certificate of Accreditation, below is a list of the laboratory specialties/subspecialties you are certified to perform and their effective date:

LAB CERTIFICATION (CODE)

EFFECTIVE DATE

DEPARTME

LAB CERTIFICATION (CODE)

FEFECTIVE DATE

TOXICOLOGY (340)

04/25/2012





FOR MORE INFORMATION ABOUT CLIA, VISIT OUR WEBSITE AT WWW.CMS.GOV/CLIA OR CONTACT YOUR LOCAL STATE AGENCY. PLEASE SEE THE REVERSE FOR YOUR STATE AGENCY'S ADDRESS AND PHONE NUMBER.
PLEASE CONTACT YOUR STATE AGENCY FOR ANY CHANGES TO YOUR CURRENT CERTIFICATE.

CLIA ID Number: 17D2005163 CLINICAL REFERENCE LABORATORY - TOXICO 8433 QUIVIRA ROAD LENEXA, KS 66215 LENEXA KS 66215

## STATE AGENCY ADDRESS AND PHONE NUMBER:

KANSAS DEPARTMENT OF HEALTH & ENVIRONMENT CLIA LABORATORY CERTIFICATION 6810 SE DWIGHT STREET TOPEKA, KS 66620-0001 (785)296-8634

**LABORATORY MAILING ADDRESS:**