


JOSH GREEN, M.D.
GOVERNOR OF HAWAII
KE KIA'AINA O KA MOKU'AINA 'O HAWAII



KENNETH S. FINK, MD, MGA, MPH
DIRECTOR OF HEALTH
KA LUNA HO'OLELE

STATE OF HAWAII
DEPARTMENT OF HEALTH
KA 'OIHANA OLAKINO
STATE LABORATORIES DIVISION
2725 WAIMANO HOME ROAD
PEARL CITY, HI 96782

In reply, please refer to:
File:SLD/EHASB

June 03, 2025

Brittany Scott, Ph.D.
Clinical Reference Laboratory, Inc.
8433 Quivira Road
Lenexa, KS 66215

Dear Dr.Scott:

I am pleased to inform you that Clinical Reference Laboratory, Inc. located at 8433 Quivira Road, Lenexa, KS 66215, is approved to do the following substance abuse testing of samples from the State of Hawaii:

1. Screening: Marijuana, Cocaine, Amphetamines, Opiates, Phencyclidine, Barbiturates, Methaqualone, Benzodiazepines, Propoxyphene, Methadone, Synthetic Cannabinoids and Alcohol.
2. Confirmation: Marijuana, Cocaine, Amphetamines, Opiates, Phencyclidine, Barbiturates, Methaqualone, Benzodiazepines, Propoxyphene, Methadone, Synthetic Cannabinoids and Alcohol.

The effective date is July 1, 2025, and the approval is valid until June 30, 2026, subject to the following stipulations:

1. Your laboratory remains certified by SAMHSA, U.S. Department of Health and Human Services;
2. Your laboratory uses the same methodologies for samples from Hawaii, as used for SAMHSA samples; and,
3. Your laboratory follows Hawaii Administrative Rules 11-113, "Substance Abuse Testing by Laboratories" for testing samples from Hawaii, including the listed cut-off levels.

Sincerely,

Edward P. Desmond, Ph.D., D(ABMM)
State Laboratories Division Administrator

Ans
6/3/2025