



DAVID Y. IGE
GOVERNOR OF HAWAII

BRUCE S. ANDERSON, Ph.D.
DIRECTOR OF HEALTH

STATE OF HAWAII
DEPARTMENT OF HEALTH
STATE LABORATORIES DIVISION
2725 WAIMANO HOME ROAD

In reply, please refer to:
File: SLD - EHASB - SAT

June 20, 2019

Dr. David Kuntz
Clinical Reference Laboratory
8433 Quivira Road
Lenexa, KS 66215

Dear Dr. Kuntz,

I am pleased to inform you that Clinical Reference Laboratory, located at 8433 Quivira Road, Lenexa KS 66215, is approved to do the following substance abuse testing of samples from the State of Hawaii:

1. Screening: Marijuana, Cocaine, Amphetamines, Opiates, Phencyclidine, Barbiturates, Methaqualone, Benzodiazepines, Propoxyphene, Methadone, and Alcohol.
2. Confirmation: Marijuana, Cocaine, Amphetamines, Opiates, Phencyclidine, Barbiturates, Methaqualone, Benzodiazepines, Propoxyphene, Methadone, and Alcohol.

The effective date is July 1, 2019, and the approval is valid until June 30, 2020, subject to the following stipulations:

1. Your laboratory remains certified by SAMHSA, U.S. Department of Health and Human Services;
2. Your laboratory uses the same methodologies for samples from Hawaii, as used for SAMHSA samples; and,
3. Your laboratory follows Hawaii Administrative Rules 11-113, "Substance Abuse Testing by Laboratories" for testing samples from Hawaii, including the listed cut-off levels.

Sincerely,

Wanda L. Chang
for Director of Health